

Amendments to the Claims:

The text of all pending claims, (including withdrawn claims) is set forth below. Canceled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (canceled), (withdrawn), (new), (previously presented), or (not entered).

Applicant reserves the right to pursue any canceled claims at a later date.

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1.-16. (cancelled)

17. (currently amended) A method for setting up and updating a portal page for ~~a~~an end user to access web pages in a data network via the portal page, wherein

receiving a first request message from a computer of the end user, the request message comprising an address of a web page to be accessed by the end user;

sending a second request message to a web server in order to retrieve the requested web page;

receiving a response message from the web server,

the response message including the requested web page, the requested web page includes an address of a content data record in a non-displayable area of the web page, and

the content data record including information pertaining to the content of the retrieved web page;

~~the content data record associated with a web page requested to be accessed by a user, and~~

~~the requested web page includes the address of the associated content data record in a non-displayable area of the web page;~~

accessing the content data record via the received address of the content data record in response to receiving the response message;

storing data fields of the accessed content data record;

receiving from the end user a user data record having features which describe a sought content for determining the web page;

comparing the stored data fields with the received user data record to determine a degree of match;

dynamically generating a portal page including a displayable link to the web page in response to the degree of match at least meeting a previously defined threshold; and

sending the dynamically generated portal page to a the computer of a ~~user~~ the end user in order to be displayed.

18. (previously presented) The method as claimed in patent claim 17, wherein the web page is checked cyclically for accessibility, and the link for the web page is excluded from the dynamically generated portal page in response to the page not being accessible.

19. (previously presented) The method as claimed in patent claim 17, wherein the comparison is repeated at intervals of time, and wherein the result of the repeated comparison is used to generate the portal page.

20. (previously presented) The method as claimed in patent claim 17, wherein the user data record is updated, wherein after the update the comparison is performed again, and the portal page re-generated.

21. (canceled)

22. (canceled)

23. (currently amended) The method as claimed in patent claim 17, wherein the content data record and the user data record are each a structured document, wherein the web page is associated via including the address of the content data record, and wherein the content data record comprises the address of its the associated web page.

24. (previously presented) The method as claimed in patent claim 23, wherein the content data record and the user data record are created in XML format, and wherein the structure of the content data record and of the user data record is respectively stipulated in a description data record.

25. (previously presented) The method as claimed in patent claim 23, wherein the same respective structure is used for the content data records and for the user data record.

26. (previously presented) The method as claimed in patent claim 24, wherein the same respective structure is used for the content data records and for the user data record.

27.-35. (canceled)

36. (currently amended) The method as claimed in patent claim 17, the receiving a first request message, the sending a second request message and receiving the response message are repeated for each of a plurality of web pages requested by the end user, wherein a plurality of content addresses are received, each content address associated with a web page requested to be access by the user, a plurality of content data records are accessed, and a data fields to a plurality of content data records are storeddisplayable links associated with the requested web pages are displayed on the portable page.

37. (canceled)

38. (currently amended) An arrangement for setting up and updating a portal for ~~a~~an end user to access web pages in a data network via the portal page, comprising:

a web server comprising:

a web page having an address of an associated content data record, and  
the associated content data record that describes a content on the respective web

page;

a proxy server communicatively coupled to the web server and to a ~~user-computer~~ of the end user, the proxy server having a storage area for storing a copy of the web page;

a portal server that manages a dynamically generated portal page and communicatively coupled to the web server and to the proxy server, the ~~proxy-portal~~ server comprising:

a database that stores data fields of the associated content data record,

a comparison unit that compares the data fields with a user content data record from the end user computer,

wherein the proxy server receives a request for the web page by the end user computer and determines ~~if~~ when the web page is stored in the proxy server,

~~wherein in response to the page not being stored~~ the proxy server retrieves the web page from the web server and subsequently stores the web page in response to the web page not being stored,

wherein the proxy server sends the address of the associated content data record to the portal server in response to retrieving the web page,

wherein the portal server retrieves the associated content data record from the web server and stores the data fields of the retrieved record in the database,

wherein the portal server receives the user data record from the end user computer and the comparison unit compares the user data record with the data fields in the database,

wherein in the portal page is dynamically generated to include a displayable link to the web page when the comparison result at least meets a previously defined minimum.

39. (currently amended) A method for setting up and updating a portal page for a ~~an~~ end user to access web pages in a data network, wherein

receiving a user data record from the end user, the user data record having features which describe a sought content for determining a web page,

~~wherein~~ the web page includes an address of an associated content data record in a non displayable area of the web page, and

~~wherein~~ the associated content record includes features describing a content on the respective web page and an address of the respective web page;

comparing the data fields of the content data record with the received user data record to determine a degree of match;

dynamically generating a portal page including a displayable link to the web page in response to the degree of match at least meeting a previously defined threshold; and

sending the dynamically generated portal page to a computer of a the end user in order to be displayed.

40. (new) The method as claimed in patent claim 36, wherein a most requested web page is displayed at a prioritized or prominent position on the portal page.

41. (new) The method as claimed in patent claim 36, wherein the associated web page for a content data record having the best match with the user data record is displayed at a prioritized or prominent position on the portal page, wherein the web page is associated via including the address of the content data record.

42. (new) The method as claimed in patent claim 36, wherein the web pages and the content data records are stored on at least one web server, and wherein the content data records are retrieved using data record addresses which are respectively associated therewith.

43. (new) The arrangement as claimed in patent claim 38, wherein the portal server retrieves the associated content data record in response to information in the associated content record not being stored in the portal server database.

44. (new) The arrangement as claimed in patent claim 43, wherein the information is deleted in portal server database after a preset expiry time.